

Literaturverzeichnis

Hamburger Ärzteblatt 03 | 2026

Seite 1

Weidestr. 122 b

22083 Hamburg

Redaktion

E-Mail: verlag@aekeh.de

Tel.: (040) 20 22 99 – 205

Fax: (040) 20 22 99 – 400

S. 12 – 17: Nahrungsmittelallergien bei Kindern. *Von Dr. Christoph Kemen*

1. Bartha I et al. Feast for thought: A comprehensive review of food allergy 2021-2023. *J Allergy Clin Immunol.* 2024 Mar;153(3):576-594.
2. Grabenhenrich L et al. Anaphylaxis in children and adolescents: the European Anaphylaxis Registry. *J Allergy Clin Immunol.* 2016;137(4):1128-1137.
3. Höfer V et al. A growing concern for cashew and an unexpected risk from almonds: data from the Anaphylaxis Registry. *Allergy.* 2025;80(10):2837-2848.
4. Kopp M et al. S3-Leitlinie Allergieprävention. *Allergol Select.* 2022;6:61-97.
5. S3-Leitlinie „Atopische Dermatitis“ (AWMF-Registernr. 013-027) (2023).
6. Lange L. Diagnosis of food allergies. *Allergol J Int.* 2025;34:127-133.
7. Martins TB, Bandhauer ME, Bunker AM, Roberts WL, Hill HR. New childhood and adult reference intervals for total IgE. *J Allergy Clin Immunol.* 2014;133(2):589-591.
8. Grabenhenrich L et al. The component-specific to total IgE ratios do not improve peanut and hazelnut allergy diagnoses. *J Allergy Clin Immunol* 2016 Jun;137:1751-1760.
9. Lange L et al. Ana o 3-specific IgE is a good predictor for clinically relevant cashew allergy in children. *Allergy* 2017;72:598-693
10. Thamm R et al. Allergic diseases in children and adolescents in Germany: results of the KiGGs Wave 2 study. *J Health Monit.* 2018;3(3):3-16.
11. Schmitz R et al. Patterns of sensitization to inhalant and food allergens - findings from the German Health Interview and Examination Survey for Children and Adolescents. *Int Arch Allergy Immunol.* 2013;162:263-270.
12. Worm M, Reese I, Ballmer-Weber B et al. Update of the S2k guideline on the management of IgE-mediated food allergies. *Allergol Select.* 2021;5:195-243.
13. Ballmer-Weber BK, Lidholm J, Fernández-Rivas M, Seneviratne S et al. IgE recognition patterns in peanut allergy are age dependent: perspectives of the EuroPrevall study. *Allergy.* 2015;70(3):391-407.
14. Sampson HA, Arasi S, Bahnson HT et al. AAAAI-EAACI PRACTALL: Standardizing oral food challenges – 2024 update. *Pediatr Allergy Immunol.* 2024;35(11):e14276.
15. Schoos AMM, Chawes BLK, Følsgaard NV, Samandari N, Bønnelykke K, Bisgaard H. Disagreement between skin prick test and specific IgE in young children. *Allergy.* 2015;70(1):41-48.
16. AG Nahrungsmittelallergie der GPA. Orale Nahrungsmittelprovokationen bei Verdacht auf eine Nahrungsmittelallergie im Säuglings- und Kindesalter. *Pädiatrische Allergologie* 2019, Sonderheft Nahrungsmittelallergie: 32-48.
17. Santos AF et al. EAACI guidelines on the management of IgE-mediated food allergy. *Allergy.* 2025;80(1):14-36.
18. Du Toit G, Roberts G, Sayre PH, Bahnson HT et al. Randomized trial of peanut consumption in infants at risk for peanut allergy. *N Engl J Med.* 2015;372:803-813.
19. Du Toit G et al. Follow-up to adolescence after early peanut introduction for allergy prevention. *NEJM Evid.* 2024;3(6):EVI-Doa2300311.
20. Perkin MR, Logan K, Tseng A, Raji B et al. Randomized trial of introduction of allergenic foods in breast-fed infants. *N Engl J Med.* 2016;374:1733-1743.
21. Elizur A. et al. Hazelnut Oral Immunotherapy Desensitizes Hazelnut But Not Other Tree Nut Allergies (Nut CRACKER Study). *J Allergy Clin Immunol Pract.* 2025 Apr;13(4):833-841.e4.

Literaturverzeichnis

Hamburger Ärzteblatt 03 | 2026

Seite 2

Weidestr. 122 b

22083 Hamburg

Redaktion

E-Mail: verlag@aekhh.de

Tel.: (040) 20 22 99 – 205

Fax: (040) 20 22 99 – 400

22. Wood RA, Togias A, Sicherer SH, Shreffler WG, Kim EH, Jones SM et al. Omalizumab for the treatment of multiple food allergies. *N Engl J Med.* 2024;390(10):889–899.
23. Arasi S et al. Omalizumab reduces anaphylactic reactions and allows food introduction in food-allergic children with severe asthma: an observational study. *Allergy.* 2025;80:1074–1085.
24. Sindher SB et al. Efficacy and safety of dupilumab in children with peanut allergy. *Allergy.* 2025;80(1):227–237.
25. Chinthrajah RS et al. Dupilumab as an adjunct to oral immunotherapy in pediatric patients with peanut allergy. *Allergy.* 2025;80(3):827–842.
26. Kim EH et al. Open-label study of the efficacy, safety, and durability of peanut sublingual immunotherapy in peanut-allergic children. *J Allergy Clin Immunol.* 2023;151(6):1558–1565.e6.
27. Kallen EJJ, van Toly EM, Kollen BJ, van Aalderen WMC, Dubois AEJ, Kollen K. The effect of subcutaneous and sublingual birch pollen immunotherapy on birch pollen-related food allergy: a systematic review. *Front Allergy.* 2024;5:1360073.
28. Paller AS, Spergel JM, Mina-Osorio P, Irvine AD. The atopic march and atopic multimorbidity: many trajectories, many pathways. *J Allergy Clin Immunol.* 2019;143(1):46–55.
29. Bodén S et al. Diversity of complementary diet and early food allergy risk. *Pediatr Allergy Immunol.* 2025;36(1):e70035.
30. Heye KN et al. Diet diversity and adherence to a Mediterranean diet pattern in pregnancy is protective against early-childhood atopic dermatitis. *Nutrients.* 2025;17(13):2243.
31. Natsume O, Kabashima S, Nakazato J et al. Two-step egg introduction for prevention of egg allergy in high-risk infants with eczema (PETIT). *Lancet.* 2017;389:276–286.
32. Gabryszewski SJ et al. Guidelines for early food introduction and patterns of food allergy. *Pediatrics.* 2025; e2024070516.
33. Loss G et al. The protective effect of farm milk consumption on childhood asthma and atopy: the GABRIELA study. *J Allergy Clin Immunol.* 2011;128(4):766–773.e4.
34. Muraro A et al. EAACI Food Allergy and Anaphylaxis Guidelines: diagnosis and management of food allergy. *Allergy.* 2014;69(8):1008–1025.
35. Muraro A, Worm M, Alviani C, Cardona V et al. EAACI guideline: Anaphylaxis (2022 update). *Allergy.* 2022;77:357–377.
36. Dölle-Bierke S, Oppel E, Worm M et al. Food-induced anaphylaxis: data from the European Anaphylaxis Registry. *J Allergy Clin Immunol Pract.* 2023;11.
37. Ring J, Beyer K, Biedermann T et al. Guideline (S2k) on acute therapy and management of anaphylaxis: 2021 update. *Allergo J Int.* 2021;30(1):1–25.
38. Sicherer SH et al. Management of food allergy in schools: clinical report. *Pediatrics.* 2025; e2025073168.
39. Polloni L et al. Management of children with food-induced anaphylaxis: a cross-sectional survey of parental knowledge, attitude, and practices. *Front Pediatr.* 2022;10:886551.
40. Cummings AJ, Knibb RC, King RM, Lucas JS. The psychosocial impact of food allergy and food hypersensitivity in children, adolescents and their families: a review. *Allergy.* 2010;65(8):933–945.
41. Lange L. Quality of life in the setting of anaphylaxis and food allergy. *Allergo J Int.* 2014;23:252–260.
42. Cardona V, Ansotegui IJ, Ebisawa M, El-Gamal Y et al. World Allergy Organization Anaphylaxis Guidance 2020. *World Allergy Organ J.* 2020;13(10):100472.

Angaben zu möglichen Interessenkonflikten: vorhanden

Mitarbeit im wissenschaftlichen Beirat der Norddeutsche Arbeitsgemeinschaft Pädiatrische Pneumologie und Allergologie e.V
Vortrags-/oder Schulungstätigkeit für Kompaktkurse und Jahrestagung der nappa. e.V.

Literaturverzeichnis

Hamburger Ärzteblatt 03 | 2026

Seite 3

Weidestr. 122 b

22083 Hamburg

Redaktion

E-Mail: verlag@aekhh.de

Tel.: (040) 20 22 99 – 205

Fax: (040) 20 22 99 – 400

S. 28 – 30: Mediale Schlittenprothese oder Vollprothese?

Von Dr. Philipp Barow

1. Statistisches Bundesamt. Implantationen künstlicher Kniegelenke in deutschen Krankenhäusern nach Altersgruppe im Jahr 2023. Internet: Statista. Verfügbar unter: <https://de.statista.com/statistik/daten/studie/785126/umfrage/implantationen-kuenstlicher-kniegelenke-in-deutschen-krankenhaeusern-nach-alter/>
2. Poursalehian M, Khani Y, Ghaderpanah R, Mohammadzadeh S, Mehrvar A, Hajiaghajani S. Unicompartmental knee arthroplasty offers more natural feeling joints compared with total knee arthroplasty: a systematic review and meta-analysis. *J BJS Open Access*. 2025;10(2):e25.00011. Doi: 10.2106/JBJS.OA.25.00011.
3. Vossen RJM, Ten Noever de Brauw GV, van der List JP, Kerkhoffs GMMJ, Pearle AD, Zuiderbaan HA. A greater rate of return to high-impact sports favoring unicompartmental knee arthroplasty compared with total knee arthroplasty: a systematic review with meta-analysis. *J Knee Surg*. 2025. Epub ahead of print. Doi:10.1055/a-2684-8148.
4. Pandit H, Jenkins C, Barker K, Dodd CAF, Murray DW. The biomechanics of unicompartmental knee replacement. *J Bone Joint Surg Br*. 2006;88(1):54–60.
5. Obermayr S, Klaskan A, Rasic L, Hauer G, Leitner L, Leithner A, Sadoghi P. Correlation of revision rate of unicompartmental knee arthroplasty with total knee arthroplasty: a meta-analysis of clinical studies and worldwide arthroplasty registers. *Arch Orthop Trauma Surg*. 2024;144(11):4873–4886. Doi:10.1007/s00402-024-05574-1.
6. Chen X, Wang B, Huang J, Huang Z, Weng W, Huang D, Xie D, Zhang Y. Mid- to long-term complications and revision rates of robotic-assisted unicompartmental knee arthroplasty: a systematic review and meta-analysis. *Front Surg*. 2025;12:1619644. Doi:10.3389/fsurg.2025.1619644.
7. Abbas MJ, Markel DC, Hallstrom BR, Zheng HT, Charters MA. The impact of surgeon volume on unicompartmental knee arthroplasty survivorship: a Michigan Arthroplasty Registry Collaborative Quality Initiative database analysis. *J Arthroplasty*. 2025;40(1):15–21.
8. Shatrov J, Neyret P. Patient selection in unicompartmental knee arthroplasty: how to make the diagnosis for success in the clinic. *J ISAKOS*. 2025;12:100348. Doi:10.1016/j.jisako.2024.100348.
9. Vasso M, Antoniadis A, Helmy N. Update on unicompartmental knee arthroplasty: current indications and failure modes. *EFORT Open Rev*. 2018;3(8):442–448. Doi:10.1302/2058-5241.3.170060.
10. Rodríguez-Merchán EC, Gómez-Cardero P. Unicompartmental knee arthroplasty: current indications, technical issues and results. *EFORT Open Rev*. 2018;3(6):363–373. Doi:10.1302/2058-5241.3.170048.
11. Zhang M, Wang H, Cai Z et al. A systematic comparative analysis of gait characteristics in patients undergoing total knee arthroplasty and unicompartmental knee arthroplasty: a review study. *J Orthop Surg Res*. 2024;19(1):762.
12. Kuntze G, Panjavi S, Henning E et al. Preserving patient-specific knee motion: a randomized clinical trial of unicompartmental and total knee arthroplasty. *J Orthop Res*. 2025;43(12):2203–2211. Doi:10.1002/jor.70077.
13. Bayram JM, Clement ND, Hall AJ, Walmsley P, Clarke JV. Are current patient-reported outcome measures fit for purpose to evaluate unicompartmental knee arthroplasty? *J Clin Med*. 2025;14(1):203. Doi:10.3390/jcm14010203.
14. Beard DJ, Davies LJ, Cook JA et al. Assessing clinical and cost effectiveness of total versus partial knee replacement (TOPKAT): 10-year follow-up of a multicentre, randomised controlled trial. *Lancet Rheumatol*. 2025. Published online 18 Nov 2025. Doi:10.1016/S2665-9913(25)00250-4.
15. Liddle AD, Pandit H, Judge A, Murray DW. Effect of surgical caseload on revision rate following total and unicompartmental knee replacement. *J Bone Joint Surg Am*. 2016;98(1):1–8.

Literaturverzeichnis

Hamburger Ärzteblatt 03 | 2026

Seite 4

Weidestr. 122 b

22083 Hamburg

Redaktion

E-Mail: verlag@aekhh.de

Tel.: (040) 20 22 99 – 205

Fax: (040) 20 22 99 – 400

- Bell SW, Anthony I, Jones B, MacLean A, Rowe P, Blyth M. Improved accuracy of component positioning with robotic-assisted unicompartmental knee arthroplasty: data from a prospective, randomized controlled study. *J Bone Joint Surg Am.* 2016;98(8):627–635. Doi:10.2106/JBJS.15.00664.
- Banger M, Doonan J, Rowe P, Jones B, MacLean A, Blyth MJB. Robotic arm-assisted versus conventional medial unicompartmental knee arthroplasty: five-year clinical outcomes of a randomized controlled trial. *Bone Joint J.* 2021;103-B(6):1088–1095. Doi:10.1302/0301-620X.103B6.BJJ-2020-1355.R2.
- Maman D, Mahamid A, Yonai Y, Berkovich Y. Comparing complication rates, costs, and length of stay between unicompartmental and total knee arthroplasty: insights from a big data analysis using the National Inpatient Sample dataset. *J Clin Med.* 2024;13(13):3888. Doi:10.3390/jcm13133888.

Angaben zu möglichen Interessenkonflikten: keine

S. 31: Bilder aus der klinischen Medizin: Der Blick unter die Bettdecke führte zur Diagnose.

Von Christian Salzmann, Dr. Yannick Michaelis

- Hillebrand U, Schmitt R. Purple urine in the catheter bag. *Dtsch Arztebl Int* 2022;119:764. Doi: 10.3238/arztebl.m2022.0197.
- Llenas-Garcia J et al. Purple urine bag syndrome: A systematic review with meta-analysis. *Eur Geriatr. Med* (2017). <http://dx.doi.org/10.1016/j.eurger.2017.03.010>.
- Hitzeman N, Greer D, Carpio E. Office-Based Urinalysis: A Comprehensive Review. *Am Fam Physician.* 2022;106(1):27-35.
- arznei-telegramm. Orange, rot, purpur, braun etc. ... ungewöhnliche Urinfarbe durch Arzneimittel. a-t 2016;47:122. www.arznei-telegramm.com/de/5139/orange-rot-purpur-braun-etc-ungewoehnliche-urinfarbe-durch-arzneimittel

S. 32 – 33: Der besondere Fall: Unklare Beinischämie bei sportlichem Patienten.

Von Vladyslav Kulyk, Dr. Benjamin Claus, Dr. Denis Ueberschär

- Bradshaw S, Habibollahi P, Soni J, Kolber M, Pillai AK. Popliteal artery entrapment syndrome. *Cardiovasc Diagn Ther.* 2021;11(5):1159-67.
- Stuart TP. Note on a Variation in the Course of the Popliteal Artery. *J Anat Physiol.* 1879;13(Pt 2):162.
- Coston NH, Dunderdale CM, Patzkowski JC. Popliteal artery entrapment syndrome mistaken for chronic exertional compartment syndrome. *JAAPA.* 2025;38(9):e1-e3.
- Rosenthal MD, Hawkes N, Garbrecht JD. Popliteal Artery Entrapment Syndrome. *J Orthop Sports Phys Ther.* 2020;50(9):531.
- Lovelock T, Claydon M, Dean A. Functional Popliteal Artery Entrapment Syndrome: An Approach to Diagnosis and Management. *Int J Sports Med.* 2021;42(13):1159-66.
- Love JW, Whelan TJ. Popliteal Artery Entrapment Syndrome. *Am J Surg.* 1965;109:620-4.
- Kim HK, Shin MJ, Kim SM, Lee SH, Hong HJ. Popliteal artery entrapment syndrome: morphological classification utilizing MR imaging. *Skeletal Radiol.* 2006;35(9):648-58.
- Macedo TA, Johnson CM, Hallett JW, Jr., Breen JF. Popliteal artery entrapment syndrome: role of imaging in the diagnosis. *AJR Am J Roentgenol.* 2003;181(5):1259-65.
- Boniakowski AE, Davis F, Campbell D, Khaja M, Gallagher KA. Intravascular ultrasound as a novel tool for the diagnosis and targeted treatment of functional popliteal artery entrapment syndrome. *J Vasc Surg Cases Innov Tech.* 2017;3(2):74-8.

Literaturverzeichnis

Hamburger Ärzteblatt 03 | 2026

Seite 5

Weidestr. 122 b
22083 Hamburg
Redaktion

E-Mail: verlag@aekhh.de

Tel.: (040) 20 22 99 – 205

Fax: (040) 20 22 99 – 400

10. Shahi N, Arosemena M, Kwon J, Abai B, Salvatore D, DiMuzio P. Functional Popliteal Artery Entrapment Syndrome: A Review of Diagnosis and Management. *Ann Vasc Surg.* 2019;59:259-67.
11. Collins PS, McDonald PT, Lim RC. Popliteal artery entrapment: an evolving syndrome. *J Vasc Surg.* 1989;10(5):484-9; discussion 9-90.
12. Weinberg I, Jaff MR. Nonatherosclerotic arterial disorders of the lower extremities. *Circulation.* 2012;126(2):213-22.
13. O'Leary DP, O'Brien G, Fulton G. Popliteal artery entrapment syndrome. *Int J Surg Case Rep.* 2010;1(2):13-5.
14. Wittig T, Steiner S, Schmidt A, Scheinert D, Branzan D. Popliteal Artery Entrapment Syndrome: A Rare Cause of Interwoven Nitinol Stent Fracture After Femoropopliteal Interventions. *JACC Case Rep.* 2022;4(7):424-8.
15. Ahn J, Woo HY, Ahn S, Min S, Shin H, Mo H et al. Long Term Outcomes of Non-operative Treatment for Popliteal Artery Entrapment Syndrome: A Multicentre Study. *Eur J Vasc Endovasc Surg.* 2025;70(2):238-44.
16. Goh BK, Tay KH, Tan SG. Diagnosis and surgical management of popliteal artery entrapment syndrome. *ANZ J Surg.* 2005;75(10):869-73.
17. Naert MN, Glassberg B, Han D, Truglio J. Popliteal Entrapment Syndrome as a Cause of Chronic Lower Extremity Pain in a 16-Year Old. *Cureus.* 2021;13(3):e13723.
18. Levien LJ, Veller MG. Popliteal artery entrapment syndrome: more common than previously recognized. *J Vasc Surg.* 1999;30(4):587-98.

Angaben zu möglichen Interessenkonflikten: keine